aviela

aviela

less is more

aviela

Rational aesthetics. With minimum assets required, Aviela's design is formed of a pure and indeed temperate structure rendering a complete bench with pure lines and simply sober structure. The lightweight structure is effectively constructed without gratuitous features providing surprisingly comfortable seating in the park and on the street.

Galvanized steel supporting frame painted with powder coat finish. The seat and backrest are made of solid wooden lamellas, which are joined in a concealed but firm way to the supporting frame. All four legs can be anchored to the ground.

aviela

aviela

aviela

aviela

aviela

b – pine wood
r – acacia wood
t – tropical wood

LAV156 / 157

Park bench with backrest and armrests

steel structure, seat and backrest made of wooden boards



LAV157b
LAV157r
LAV157t

LAV156b
LAV156r
LAV156t

LAV158

Double park bench with backrest and armrests

steel structure, seat and backrest made of wooden boards





LAV158b
LAV158r
LAV158t

aviela

aviela

supporting structure
Lapidary light yet elegant structure, sufficiently strong for any type of public space.

aviela

ure
seat and backrest
Massive wooden lamellas provide comfortable sitting.

LAV157



LAV156



LAV158









TECHNICAL SPECIFICATIONS 3/5

LAV - AVIELA

mm cité 1

mmcite.com

Rozměry výrobků mají informativní charakter. Výrobce si vyhrazuje právo na změnu technické specifikace bez předchozího upozornění. Rozměry spodní stavby a způsob osazení výrobku jsou závazné. Rozteče kotev rozměřovat dle rozměrů dodaného výrobku.
All product sizes have an informative character. The Producer reserves the right to amend the technical specification at any time without previous warning. The size of foundation baseplate and the method of mounting of the product are imperative. Anchor spacing measure out by measurements of supplied product.
Die Abmessungen der Produkte sind informativ. Der Hersteller behält sich das Recht an Änderungen der technischen Spezifikationen vor, ohne vorher darauf hinzuweisen . Abmessungen der Fundamentierung - Unterbau und Art des Produkteinbaus sind verbindlich. Ankerabstand gemäß der gelieferten Produktabmessungen dimensionieren.